LUMIRROR[®] U6V

Applications

- Solar control window
- Overlaminate
- Outdoor labels

Core Layer

Surface Property Layer

Surface Property Layer

SUPER CLEAR UV STABILIZED THREE LAYER PET FILM

Summary

U6V is a UV-stabilized PET film designed for solar use or over-lamination of inkjet prints and other substrates vulnerable to ultra violet exposure.

Product Data Sheet

www.toraytpa.com rimarketing@toraytpa.com Toray Plastics (America), Inc. 50 Belver Avenue North Kingstown, RI 02852 1.800.453.6866



🖉 Technical Data 🗶

PROPERTIES		METHOD	UNITS	TYPICAL VALUES
Thickness		_	micron	50.8
Nominal Yield		-	m2/kg	14.1
F-5	MD	ASTM D882	Мра	106
	TD			101
Tensile Strength at Break	MD	ASTM D882	Мра	185
	TD			217
Elongation at Break	MD	ASTM D882	%	170
	TD			130
Heat Shrinkage (150°C for 30 minutes)	MD	- ASTM D1204	%	1
	TD			0.8
Heat Shrinkage (190°C for 5 minutes)	MD	- ASTM D1204	%	1.8
	TD			1.0
Coefficient of Friction	A-side vs. B-side	ASTM D1894	μ _s	0.4
	A-side VS. B-side	A31WID1894	μ _D	0.3
Haze (1 sheet)		ASTM 1003	%	1.2

Key Features

- · Co-extruded three layer structure allows very low haze and friction
- UV Protection up to 3-5 years for outdoor applications depending on the conditions

Similar Products

- U6V1
- U65V
- U6W
- U6W3

 Winding Direction 	
Surface Property Layer	
Layer	
Surface Property	
Layer	

* These values do not constitute specific binding specifications

DISCLAIMER: This information is believed to be correct as of the date of issue. Toray Plastics (America), Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE AND TAKES NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSES OR FOR THE CONSEQUENCE OF ITS USE. User is responsible for determining whether the Toray Plastics (America), Inc. product is fit for a particular purpose and suitable for user's method or use of application. Given the variety of factors that can affect the use and application of Toray Plastics (America), Inc. products, which are uniquely within the user's knowledge and control, it is essential that the user make its own tests to determine the safety and suitability of each Toray Plastics (America), Inc. product or product combination for its own purpose. Lumirror U6V