


## TORAYFAN FM1D

## **Applications**

- Confections
- Snacks
- Bakery
- · Pet Food
- · Ag/Chem
- Medical



# ONE SIDE UHSE TREATED, ONE SIDE MATTE CORONA TREATED BOPP FILM

### Summary

Bi-Axially Oriented Polypropylene nonsealable matte film, one side treated with Toray's Ultra High Surface Energy (UHSE) treatment, matte side corona treated. Designed as the outside print or buried web for clear graphic packaging applications where the matte surface reduces glare for easy viewing.

**Torayfan FM** 



#### ✓ Technical Data \*\*

PROPERTIES		METHOD	UNITS	
Thickness		-	0.00001"	60
Nominal Yield		-	in²/lb	51,500
Tensile Strength at Break	MD	– ASTM D882	lb/in² -	21,500
	TD			45,500
Young's Modulus	MD	– ASTM D882	lb/in² -	316,000
	TD			548,000
Elongation at Break	MD	– ASTM D882	% -	200
	TD			60
Heat Shrinkage (284°F for 15 minutes)	MD	– ASTM D1204	% -	8
	TD			5
Coefficient of Friction (Matte Side)		ASTM D1894		0.43
Gloss (Matte Side) (20°)		ASTM D2457	GU	3
Haze (1 sheet)		ASTM 1003	%	75
Wetting Tension		ASTM D2578	dyne/cm	41

#### Key Features

- · High haze, low gloss matte layer
- · Low glare
- Good bond in adhesive and extrusion laminations
- Good ink adhesion with water based and solvent based inks
- Good print quality in Roto Gravure and Flexo printing


#### Similar Products

FMS

#### Typical Structures

- FM1D/ink/PE or ADH/PMX2
- FM1D/ink/PE or ADH/PCFS

#### Winding Direction



#### \* These values do not constitute specific binding specifications

DISCLAIMER: This information is believed to be correct as of the date of issue. Toray Plastics (America), Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE AND TAKES NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSES OR FOR THE CONSEQUENCE OF ITS USE. User is responsible for determining whether the Toray Plastics (America), Inc. product is fit for a particular purpose and suitable for user's method or use of application. Given the variety of factors that can affect the use and application of Toray Plastics (America), Inc. products, which are uniquely within the user's knowledge and control, it is essential that the user make its own tests to determine the safety and suitability of each Toray Plastics (America), Inc. product or product combination for its own purpose.

Torayfan \* is a registered trademark of Toray Industries, Inc. for its range of bi-oriented Polypropylene Films (BOPP)