


TORAYFAN TX-YM

Applications

- Paper/Board Laminations
- Flexible Laminations
- Print Applications
- · Tape/Label
- Release Applications



NON SEALABLE MATTE BOPP FILM

Summary

This film offers a matte skin layer with a gloss backside. The matte surface reduces glare and for easy viewing when used in graphic applications. The standard film design calls for flame treatment on the gloss surface.

Forayfan TX-Y



Technical Data *

PROPERTIES		METHOD	UNITS	TYPICAL VALUES
Thickness Range		-	0.00001"	70-300
Thickness		-	0.00001"	70
Nominal Yield		-	in²/lb	43,714
Tensile Strength at Break	MD	– ASTM D882	lb/in²	18,000
	TD			40,000
Elongation at Break	MD	– ASTM D882	%	170
	TD			50
Heat Shrinkage (212°F for 10 minutes)	MD	– ASTM D2732-96	%	3
	TD			1
Coefficient of Friction	A side	– ASTM D1894	$\mu_{\scriptscriptstyle D}$	0.70
	B side		$\mu_{\scriptscriptstyle D}$	0.70
Gloss (60°)	A side	– ASTM D2457	GU	92
	B side			14
Haze (1 sheet)		ASTM 1003	%	60
Surface Tension	Flame	– ASTM D2578	dyne/cm	48
	Corona			38

Key Features

- Matte/Gloss appearance
- Excellent contact clarity

- Low Glare
- · For use with hot-melt, water, UV and solvents

Winding Direction



* These values do not constitute specific binding specifications

DISCLAIMER: This information is believed to be correct as of the date of issue. Toray Plastics (America), Inc. MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE AND TAKES NO RESPONSIBILITY REGARDING THE SUITABILITY OF THIS INFORMATION FOR THE USER'S INTENDED PURPOSES OR FOR THE CONSEQUENCE OF ITS USE. User is responsible for determining whether the Toray Plastics (America), Inc. product is fit for a particular purpose and suitable for user's method or use of application. Given the variety of factors that can affect the use and application of Toray Plastics (America), Inc. products, which are uniquely within the user's knowledge and control, it is essential that the user make its own tests to determine the safety and suitability of each Toray Plastics (America), Inc. product or product combination for its own purpose.